



# Bandit VXL (Model 24076-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

## Bearings & Bushings

- 4607 **Ball bearings (5x11x4mm) (8)**
- 2728 **Ball bearings (5x8x2.5mm) (2)**
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5114 **Ball bearings, blue rubber sealed (5x8x2.5mm) (2)**
- 2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
- 1675 **Bushings, self-lubricating (5x11x4mm) (14)**
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

## Body & Accessories

- 1926 **Antenna caps, vinyl (2)/ antenna spool**
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 1834 Body clips (12) (standard size)
- 1815 **Body washers (8)**
- 6716 **Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)**
- 2417 **Body, Bandit (front & rear) (clear, requires painting)/ window, lights, grill decal sheet**
- 2418 **Body, Bandit VXL, ProGraphix (front and rear) (replacement for the painted body. Graphics are printed, requires paint & final color application)/window, grill, lights decal sheet**
- 2434 Body, Bandit, Mitchell DeJong (painted, decals applied)
- 2514 **Decal sheet, racing sponsors**
- 2413R Decal sheets, Bandit VXL
- 5185 **Tires, rubber (2) (fits Traxxas wheelie bar wheels)**
- 4974 **Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)**
- 3677A **Wheelie bar mount (1) / hardware (green)**
- 3677P **Wheelie bar mount (1) / hardware (pink)**
- 3677 Wheelie bar mount (1)/ hardware (black)
- 3677X **Wheelie bar mount (1)/ hardware (blue)**
- 3678 **Wheelie bar, assembled (black) (fits Slash, Stampede, Rustler, Bandit series)**
- 3678X **Wheelie bar, assembled (blue) (fits Slash, Stampede, Rustler, Bandit series)**
- 3678A **Wheelie bar, assembled (green) (fits Stampede, Rustler, Bandit series)**
- 3678P **Wheelie bar, assembled (pink) (fits Stampede, Rustler, Bandit series)**
- 4976 **Wheels (4)/ axles (2), for Maxx wheelie bar**
- 5186A **Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
- 5186 **Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
- 2712 Wing
- 2615 Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2)
- 2414 Wing wire

## Chassis & Attachments

- 3727 **Battery hold-down plate (black)/ metal posts (2)/body clips (2)**
- 3727A Battery hold-down plate (grey) / metal posts (2) / body clips (2)
- 3628 Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)
- 2735 Bumper (front)
- 2735P **Bumper (front) (pink)**
- 3722 **Lower chassis (black)**
- 3722A Lower chassis (grey)
- 3725 Mounting plate, speed control (VXL-3s) (Bandit, Rustler, Stampede)
- 3629 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
- 5185 **Tires, rubber (2) (fits Traxxas wheelie bar wheels)**
- 3723 **Upper chassis (black)**
- 3723A Upper chassis (grey)
- 4974 **Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)**
- 3677A **Wheelie bar mount (1) / hardware (green)**
- 3677P **Wheelie bar mount (1) / hardware (pink)**
- 3677 Wheelie bar mount (1)/ hardware (black)
- 3677X **Wheelie bar mount (1)/ hardware (blue)**
- 3678 **Wheelie bar, assembled (black) (fits Slash, Stampede, Rustler, Bandit series)**
- 3678X **Wheelie bar, assembled (blue) (fits Slash, Stampede, Rustler, Bandit series)**
- 3678A **Wheelie bar, assembled (green) (fits Stampede, Rustler, Bandit series)**
- 3678P **Wheelie bar, assembled (pink) (fits Stampede, Rustler, Bandit series)**
- 4976 **Wheels (4)/ axles (2), for Maxx wheelie bar**
- 5186A **Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
- 5186 **Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**

## Differential Components

- 2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede, Rustler)
- 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
- 2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede, Rustler)
- 1647 Silicone grease

## Driveline Components

- 4628R Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2)
- 4628X **Differential output yokes, hardened steel (w/ U-joints) (2)**
- 2751 **Half-shaft pro-pack (internal-splined (6)/external-splined (6)) (plastic shafts only)**
- 1651 Half-shafts (internal-splined (2)/external-splined (2))/ metal U-joints (4)
- 3752 Stub axle carriers (2) (requires 5x11x4mm bearings)
- 3652A **Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)**
- 3652G **Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)**
- 3652P **Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
- 3652X **Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)**
- 2754 Stub axle pins (4)
- 2753X Stub axles, rear (2)

## Front Suspension & Steering

- 2728 **Ball bearings (5x8x2.5mm) (2)**
- 2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
- 2530 **Bulkhead (front) (black)**
- 2530A Bulkhead (front) (grey)
- 2432 Caster blocks (l&r) (30-degree)
- 2437 Front axles (2)
- 5525R **Rod ends, heavy duty (Jato/Slayer) (8)**
- 5347 Rod ends, Revo (large) with hollow balls (12)
- 3646 Screws, 3x15mm flat-head machine (hex drive) (6)
- 3744 Servo saver w/adapters
- 3639 Shock tower (front)
- 3736 Steering blocks, left & right (2) (requires 5x11x4mm bearings)
- 3636A **Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)**
- 3636G **Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)**
- 3636P **Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
- 3636X **Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)**
- 2531X Suspension arms (front) (2)
- 2640 Suspension pins, 44mm (2) w/ E-clips
- 3640 Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler, Stampede, Bandit)
- 2537 Threaded rods (20/25/44mm 1 ea.) (1) 12mm set screw
- 2532 Tie bar, fiberglass
- 2444 Turnbuckles, camber link, 47mm (67mm center to center) (front) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 2445 Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)

## Hardware

- 1834 Body clips (12) (standard size)
- 3934 Body clips, heavy duty (12)
- 2585 Cylinder head bolts, marine 3x20mm CS (6) (TRX 2.5)
- 2586 Screws, 3x15mm cap-head machine (hex drive) (6)
- 2745 Nuts, 3mm nylon locking (12)
- 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
- 1747 Nuts, 4mm nylon locking (10)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 5347 Rod ends, Revo (large) with hollow balls (12)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3347 Screws, 2.5x5mm button-head machine (hex drive) (6)
- 3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
- 2587 Screws, 3x10mm cap-head machine (6) (no washer)
- 2578 Screws, 3x12mm button-head machine (hex drive) (6)

2552	Screws, 3x12mm countersunk machine (6) (hex drive)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
2580	Screws, 3x20mm button-head machine (hex drive) (6)
2591	Screws, 3x23mm button-head machine (hex drive) (6)
2582	Screws, 3x30mm button-head machine (hex drive) (6)
2592	Screws, 3x40mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
2542	Screws, 4x12mm countersunk machine (hex drive) (6)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
<b>3642X</b>	<b>Shoulder screws, Ultra Shocks (3x12 hex drive) (6)</b>
2754	Stub axle pins (4)
<b>2746</b>	<b>Washers, 3x6mm metal (12)</b>
3685	White plastic washers (5x8x1.0mm) (6)
2615	Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2)

**Motors & Electronics**

1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
<b>1552</b>	<b>Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench</b>
3342	Bullet connectors, male, 3.5mm (3)/ heat shrink
<b>3340</b>	<b>Cooling fan, Velineon VXL-3s ESC</b>
3790	Gear adapter, fixed
2072A	Gear set (for 2070, 2075 servos)
3354R	Motor cover, endbell (Velineon 3500)
3351R	Motor, Velineon 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
3725	Mounting plate, speed control (VXL-3s) (Bandit, Rustler, Stampede)
3352R	Rebuild kit, Velineon 3500 (includes plastic endbell, 5x11x4mm ball bearings (2), 2.5x5mm BCS (with threadlock) (4), rear bushing)
3347	Screws, 2.5x5mm button-head machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075	Servo, digital high-torque (ball bearing), waterproof
3350R	Velineon VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725))
3355R	Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
3343	Wire, 12-gauge, silicone (Maxx Cable) (650mm or 26 inches)

**Radio System, Batteries & Chargers**

<b>2849X</b>	<b>4000mAh 11.1v 3-Cell 25C LiPo Battery</b>
<b>2842X</b>	<b>5000mAh 7.4v 2-Cell 25C LiPo Battery</b>
<b>2843X</b>	<b>5800mAh 7.4v 2-Cell 25C LiPo Battery</b>
<b>2976</b>	<b>AC to DC converter, 40W</b>
<b>2938X</b>	<b>Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports)</b>
<b>2943</b>	<b>Battery charge indicators (green (4), blue (4), grey (4))</b>
6546	Battery door, TQi transmitter (replacement for #6528, 6529, 6530 transmitters)
2914	Battery, Power Cell AA Alkaline (4)
<b>2922X</b>	<b>Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V)</b>
<b>2926X</b>	<b>Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)</b>
<b>2942X</b>	<b>Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V)</b>
<b>2941X</b>	<b>Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)</b>
<b>2952X</b>	<b>Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V)</b>
<b>2951X</b>	<b>Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)</b>
<b>2961X</b>	<b>Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)</b>
<b>2963X</b>	<b>Battery, Series 5 Power Cell, 5000mAh (NiMH, 8-C hump, 9.6V)</b>
<b>2984</b>	<b>Battery/charger complete pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH battery (1))</b>
<b>2992</b>	<b>Battery/charger complete pack (includes #2970 iD charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))</b>
<b>2975</b>	<b>Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)</b>
<b>2972</b>	<b>Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification</b>
<b>2973</b>	<b>Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification</b>
<b>2971</b>	<b>Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification</b>
<b>2970</b>	<b>Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification</b>
<b>6525</b>	<b>Communication link, telemetry expander</b>
6512	Cover plate, Traxxas Link Wireless Module
<b>2978</b>	<b>Fuse, charger, 5A (2) (for #2974, 2975, 2977)</b>

2072A	Gear set (for 2070, 2075 servos)
<b>6554</b>	<b>Mount, telemetry expander (fits Rustler, Bandit, Slash 2WD)</b>
<b>6535</b>	<b>Mount, temperature sensor (electric motors)/ wire tie/ thermal pad</b>
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
<b>6552</b>	<b>Seal kit, expander box (includes o-ring, seals, and silicone grease)</b>
<b>6526</b>	<b>Sensor, auto-detectable, temperature</b>
<b>6527</b>	<b>Sensor, auto-detectable, voltage</b>
<b>6520</b>	<b>Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)</b>
<b>6521</b>	<b>Sensor, temperature and voltage (long)</b>
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075	Servo, digital high-torque (ball bearing), waterproof
<b>6550</b>	<b>Telemetry expander, TQi radio system</b>
<b>6551</b>	<b>Telemetry GPS module, TQi radio system</b>
<b>6538</b>	<b>Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)</b>
<b>6540</b>	<b>Telemetry trigger magnet, 5X2mm (1)</b>
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver)
<b>6507R</b>	<b>TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)</b>
6528	Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only)
<b>6529</b>	<b>Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only)</b>
<b>6530</b>	<b>Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only)</b>
<b>6511</b>	<b>Traxxas Link Wireless Module</b>
3355R	Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
<b>6537</b>	<b>Wire retainers, gear cover/ 3x4mm BCS (2)</b>

**Ready-To-Race Model**

24076-4	Bandit VXL: 1/10 Scale Off-Road Buggy with TQi Traxxas Link Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)
---------	--

**Rear Suspension**

3638	Shock tower (rear)
3752	Stub axle carriers (2) (requires 5x11x4mm bearings)
<b>3652A</b>	<b>Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)</b>
<b>3652G</b>	<b>Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)</b>
<b>3652P</b>	<b>Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)</b>
<b>3652X</b>	<b>Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)</b>
2753X	Stub axles, rear (2)
2750R	Suspension arms, long (rear)
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler, Stampede, Bandit)

**Shocks (Aluminum)**

<b>1965</b>	<b>Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2)</b>
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
<b>2760</b>	<b>Shock caps, aluminum (2)</b>
<b>1664T</b>	<b>Shock shafts, hardened steel, titanium nitride coated (long) (2)</b>
<b>2765T</b>	<b>Shock shafts, hardened steel, titanium nitride coated (X-long) (2)</b>
1664	Shock shafts, steel, chrome finish (long) (2)
2765	Shock shafts, steel, chrome finish (X-long) (2)
<b>4760</b>	<b>Shocks, long (hard-anodized &amp; PTFE-coated T6 aluminum) w/o springs (front) (2)</b>
<b>4761</b>	<b>Shocks, X-long (hard-anodized &amp; PTFE-coated T6 aluminum) w/o springs (rear) (2)</b>
1666	Silicone shock oil (30 wt)

**Shocks (Pro-level Aluminum)**

<b>2664</b>	<b>Big Bore shock cylinder (long) (1)</b>
<b>2666</b>	<b>Big Bore shock cylinder (XX-long) (1)</b>
<b>5862</b>	<b>Big Bore shocks (hard-anodized &amp; PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front &amp; rear) (4)</b>
<b>2660</b>	<b>Big Bore shocks (long) (hard-anodized &amp; PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)</b>
<b>2662</b>	<b>Big Bore shocks (XX-long) (hard-anodized &amp; PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)</b>
<b>2669</b>	<b>Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings &amp; washers (2) (Big Bore Shocks)</b>
<b>2362</b>	<b>Rebuild kit, Ultra shocks (for 2 shocks)</b>

- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 2667 **Shock caps, aluminum (Big Bore Shocks) (2)**
- 1664T **Shock shafts, hardened steel, titanium nitride coated (long) (2)**
- 2765T **Shock shafts, hardened steel, titanium nitride coated (X-long) (2)**
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2765 Shock shafts, steel, chrome finish (X-long) (2)
- 1765 Silicone diaphragms (4)
- 1666 Silicone shock oil (30 wt)
- 2668 **Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)**
- 5860 **Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)**
- 5859 **Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)**

### Shocks (Ultra Shocks)

- 3642 **Attachment screws, shock (3x12mm shoulder screws) (6)**
- 3765A Body, Ultra Shock(s) (long) (grey) (2)
- 3766A Body, Ultra Shock(s) (XXL) (grey) (2)
- 2362 **Rebuild kit, Ultra shocks (for 2 shocks)**
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3767 **Shock caps (2)/ shock bottoms (2)**
- 8361 Shock caps (black) (4) (assembled with hollow balls)
- 3767A **Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)**
- 3767G **Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)**
- 3767P **Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)**
- 3767X **Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)**
- 1664T **Shock shafts, hardened steel, titanium nitride coated (long) (2)**
- 2765T **Shock shafts, hardened steel, titanium nitride coated (X-long) (2)**
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2765 Shock shafts, steel, chrome finish (X-long) (2)
- 1765 Silicone diaphragms (4)
- 1666 Silicone shock oil (30 wt)
- 3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
- 3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
- 2458 **Springs, front (black) (2)**
- 2458P **Springs, front (pink) (2)**
- 2458A Springs, front (white) (2)
- 2457 **Springs, rear (black) (2)**
- 2457P **Springs, rear (pink) (2)**
- 2457A Springs, rear (white) (2)
- 3760 **Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)**
- 3762 **Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)**
- 3760A Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
- 3762A Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

### Slipper Clutch Components

- 3793 Input shaft (slipper shaft) / spring pin
- 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
- 2554 Screws, 3x6mm cap-head machine (hex drive) (6)
- 5556 Slipper pressure plate & hub (aluminum alloy)

### Spur Gears & Pinion Gears

- 3790 Gear adapter, fixed
- 2416 **Gear, 16-T pinion (48-pitch) / set screw**
- 1918 **Gear, 18-T pinion (48-pitch) / set screw**
- 2419 **Gear, 19-T pinion (48-pitch) / set screw**
- 2423 **Gear, 23-T pinion (48-pitch) / set screw**
- 2426 Gear, 26-T pinion (48-pitch)/set screw
- 2431 **Gear, 31-T pinion (48-pitch) / set screw**
- 4725 **Gear, pinion (25-tooth) (48-pitch) / set screw**
- 4728 **Gear, pinion (28-tooth) (48-pitch) / set screw**
- 4676 Spur gear, 76-tooth (48-pitch) (for models with Torque-Control slipper clutch)
- 4683 **Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch)**
- 4686 **Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)**
- 4690 **Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)**

### Steering Components

- 2728 **Ball bearings (5x8x2.5mm) (2)**
- 2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
- 5347 Rod ends, Revo (large) with hollow balls (12)
- 3744 Servo saver w/adapters
- 3742 Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
- 3743 Steering bellcranks (l&r)/ draglink
- 3743A **Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
- 3743P **Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
- 3743X **Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
- 6845X **Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering**
- 2445 Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)

### Suspension Linkage

- 5525R Rod ends, heavy duty (Jato/Slayer) (8)
- 5347 Rod ends, Revo (large) with hollow balls (12)
- 3744 Servo saver w/adapters
- 2637 **Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front suspension arm to caster block)**
- 2640 Suspension pins, 44mm (2) w/ E-clips
- 3640 Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler, Stampede, Bandit)
- 2443 Turnbuckles, camber link, 36mm (56mm center to center) (rear) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 2444 Turnbuckles, camber link, 47mm (67mm center to center) (front) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 2445 Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)

### Team Traxxas Items

- 2514 **Decal sheet, racing sponsors**
- 6160X **DVD, Maxx Power! Full Throttle Action (sleeve)**
- 9950 **Official Team Traxxas racing decal set (flag logo/ 6-color)**
- 9909 **Traxxas racing banner, red & black (3x7 feet)**

### Tires & Wheels

- 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
- 1647 Silicone grease
- 2754 Stub axle pins (4)
- 2470A Tires & wheels, assembled (Tracer 2.2" black chrome wheels, Alias 2.2" tires) (2) (Bandit rear, medium compound with foam inserts) (TSM rated)
- 2471A Tires & wheels, assembled (Tracer 2.2" black chrome wheels, Alias ribbed 2.2" tires) (2) (Bandit front, medium compound w/ foam inserts)
- 2479A **Tires & wheels, assembled (Tracer 2.2" black chrome wheels, Anaconda 2.2" tires with foam inserts) (2) (Bandit front)**
- 2478A **Tires & wheels, assembled (Tracer 2.2" black chrome wheels, Anaconda 2.2" tires with foam inserts) (2) (Bandit rear)**
- 2470R **Tires & wheels, assembled (Tracer 2.2" chrome wheels, Alias 2.2" tires) (2) (Bandit rear, soft compound with foam inserts)**
- 2471R **Tires & wheels, assembled (Tracer 2.2" chrome wheels, Alias ribbed 2.2" tires) (2) (Bandit front, soft compound w/ foam inserts)**
- 2479R **Tires & wheels, assembled (Tracer 2.2" chrome wheels, Anaconda 2.2" tires with foam inserts) (2) (Bandit front)**
- 2478R **Tires & wheels, assembled (Tracer 2.2" chrome wheels, Anaconda 2.2" tires with foam inserts) (2) (Bandit rear)**
- 4740 **Tires, 2.1" Pro-Trax ribbed (front) (2)**
- 1771 **Tires, 2.1" spiked (front) (2)**
- 1770 **Tires, 2.15 spiked (rear) (2)**
- 2470 **Tires, Alias 2.2" (rear) (2)/ foam inserts (Bandit) (soft compound)**
- 2471 **Tires, Alias ribbed 2.2" (wide, front) (2)/ foam inserts (Bandit) (soft compound)**
- 2478 **Tires, Anaconda 2.2" (rear) (2)/ foam inserts (Bandit) (soft compound)**
- 2479 **Tires, Anaconda 2.2" (wide, front) (2)/foam inserts (Bandit) (soft compound)**
- 3471 **Tires, street slicks (front) (2)**
- 3470 **Tires, street slicks (rear) (2)**
- 2475 **Wheels, front (2)**
- 2474 **Wheels, rear (2)**
- 2473A **Wheels, Tracer 2.2" (black chrome) (2) (Bandit front)**
- 2472A **Wheels, Tracer 2.2" (black chrome) (2) (Bandit rear)**
- 2473 **Wheels, Tracer 2.2" (chrome) (2) (Bandit front)**
- 2472 **Wheels, Tracer 2.2" (chrome) (2) (Bandit rear)**

**Transmission Components**

1552	<b>Backplate screws (3x8mm cap-head machine) (6)/washers (6)/wrench</b>
4607	<b>Ball bearings (5x11x4mm) (8)</b>
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
3792	Dust cover/rubber plug (w/ screws) (Stampede/Rustler/Bandit)
5478	Flat wrench, 8mm (blue-anodized aluminum)
3790	Gear adapter, fixed
3691	<b>Gearbox halves (l&amp;r) (black) w/ idler gear shaft</b>
3691A	Gearbox halves (l&r) (grey) w/ idler gear shaft
5148	Grease, white lithium
3696	Idler gear, steel (30-tooth)
3793	Input shaft (slipper shaft) / spring pin
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede, Rustler)
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede, Rustler)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
3185X	Screws, 3x8mm washerhead machine (large head for motor mount) (6)
1647	Silicone grease
5556	Slipper pressure plate & hub (aluminum alloy)
3195	Top drive gear, steel (22-tooth)

**Turnbuckles & Threaded Rods**

5525R	Rod ends, heavy duty (Jato/Slayer) (8)
5347	Rod ends, Revo (large) with hollow balls (12)
2443	Turnbuckles, camber link, 36mm (56mm center to center) (rear) (assembled with rod ends and hollow balls) (1 left, 1 right)
2444	Turnbuckles, camber link, 47mm (67mm center to center) (front) (assembled with rod ends and hollow balls) (1 left, 1 right)
2445	Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

**TRAXXAS.COM**