

Rustler (Model 37054-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Bearings & Bushings	36 36
4607	Ball bearings (5x11x4mm) (8)	36
4608	Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8)	36
2728	Ball bearings (5x8x2.5mm) (2)	
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	36
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)	
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)	36
1675	Bushings, self-lubricating (5x11x4mm) (14)	
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)	36
	Body & Accessories	
1926	Antenna caps, vinyl (2)/ antenna spool	49
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	51
1834	Body clips (12) (standard size)	
3934	Body clips, heavy duty (12)	51
1914R	Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2),	
101110	25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware	
3614	Body mounts (front & rear)	23
1815	Body washers (8)	
6716	Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)	23
3714	Body, Rustler (clear, requires painting)/window, lights decal	
	sheet/ wing and aluminum hardware	23
3749	Body, Rustler, Hawaiian graphics (painted, decals applied)	
3717	Body, Rustler, ProGraphix (replacement for the painted body.	51
	Graphics are printed, requires paint & final color	16
	application)/window, lights, decal sheet/wing & aluminum	
	hardware	51
3617	Body, Stampede (clear, requires painting) (requires #3614 to	16
00475	mount)	46
3617R	Body, Stampede VXL, ProGraphix (replacement for the painted	40
	body. Graphics are printed, requires paint & final color	46
3617X	application)/ window, grill, lights decal sheet Body, Stampede, ProGraphix (replacement for the painted body.	68
3017 A	Graphics are printed, requires paint & final color application)/	19
	window, grill, lights decal sheet	
2514	Decal sheet, racing sponsors	19
3716	Decal sheets, Rustler	
9950	Official Team Traxxas racing decal set (flag logo/ 6-color)	67
5185	Tires, rubber (2) (fits Traxxas wheelie bar wheels)	
4974	Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)	67
3677A	Wheelie bar mount (1) / hardware (green)	68
3677P	Wheelie bar mount (1) / hardware (pink)	
3677	Wheelie bar mount (1)/ hardware (black)	19
3677X	Wheelie bar mount (1)/ hardware (blue)	
3678	Wheelie bar, assembled (black) (fits Slash, Stampede, Rustler,	67
	Bandit series)	07
3678X	Wheelie bar, assembled (blue) (fits Slash, Stampede, Rustler,	37
	Bandit series)	36
3678A	Wheelie bar, assembled (green) (fits Stampede, Rustler, Bandit	36
	series)	30
3678P	Wheelie bar, assembled (pink) (fits Stampede, Rustler, Bandit	36
	series)	00
4976	Wheels (4)/ Axles (2), for Maxx wheelie bar	36
5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/	
E400	axles (2)/ rubber tires (2) Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/	36
5186	axles (2)/ rubber tires (2)	
		27
	Chassis & Attachments	67
3725X	Battery expansion kit (allows for installation of taller multi-cell	27
	battery packs)	68
3727	Battery hold-down plate (black)/ metal posts (2)/body clips (2)	
3727A	Battery hold-down plate (grey) / metal posts (2) / body clips (2)	26
3628	Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)	36 27
2735	Bumper (front)	
2735P	Bumper (front) (pink)	51 25
3722	Lower chassis (black)	25 25
3722A	Lower chassis (grey)	25
3725	Mounting plate, speed control (VXL-3s) (Bandit, Rustler,	
	Stampede)	16
3625	Mounting plate, electronic speed control (XL-5, XL-10)	36 36
3629	Seal kit, receiver box (includes o-ring, seals, and silicone grease)	30
5185	Tires, rubber (2) (fits Traxxas wheelie bar wheels)	36
3723	Upper chassis (black)	50
3723A	Upper chassis (grey)	36
4974	Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)	
3677A	Wheelie bar mount (1) / hardware (green)	

3677P	Wheelie bar mount (1) / hardware (pink)
3677	Wheelie bar mount (1)/ hardware (black)
3677X	Wheelie bar mount (1)/ hardware (blue)
3678	Wheelie bar, assembled (black) (fits Slash, Stampede, Rustler,
0010	Bandit series)
3678X	Wheelie bar, assembled (blue) (fits Slash, Stampede, Rustler,
	Bandit series)
3678A	Wheelie bar, assembled (green) (fits Stampede, Rustler, Bandit
	series)
3678P	Wheelie bar, assembled (pink) (fits Stampede, Rustler, Bandit
	series)
4976	Wheels (4)/ Axles (2), for Maxx wheelie bar
5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/
	axles (2)/ rubber tires (2)
5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/
	axles (2)/ rubber tires (2)
	Differential Components
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit,
	Stampede, Rustler)
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment
00001/	shaft (1) all hardened steel
2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit,
5400	Stampede, Rustler)
5169	Screws, 2.6x8mm countersunk machine (6)
1647	Silicone grease
	Driveline Components
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
1675	Bushings, self-lubricating (5x11x4mm) (14)
4628R	Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/
102011	screw pin (2)
4628X	Differential output vokes, hardened steel (w/ U-joints) (2)
6828X	Differential output yokes, heavy duty (2)/ screw pin (2)
1951R	Driveshafts, rear, steel-spline constant-velocity (complete
	assembly) (2) (fits 2WD Rustler/Stampede)
1953	Half shaft pro-pack (internal-splined (6)/ external-splined (6)
	(plastic shafts only)
6752	Half shaft, external splined (steel-spline constant-velocity) (1)
	(fits 2WD Rustler/Stampede)
6751	Half shaft, internal splined (steel-spline constant-velocity) (1)
6850X	Half shafts, heavy duty (external splined (2)/ internal splined (2))/
	metal u-joints (4)
1951	Half shafts, long truck (external-splined (2) & internal-splined (2)/
	metal U-joints (4)
6757	Rebuild kit, steel-splined constant-velocity driveshafts (includes
	pins, dustboots, lube, and hardware)
3752	Stub axle carriers (2) (requires 5x11x4mm bushings or bearings)
3652A	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6
	aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3652G	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6
	aluminum (green-anodized)/ 5x11mm ball bearings (4)
3652P	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6
	aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3652P	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6
	aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3652X	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6
	aluminum (red-anodized)/ 5x11mm ball bearings (4)
2754	Stub axle pins (4)
6753	Stub axle, rear, steel-splined constant-velocity (1)
2753X	Stub axles, rear (2)
6853X	Stub axles, rear, heavy duty (2)/pins (2)
	Front Suspension & Steering
3637	Axles (front) (2)
2728	Ball bearings (5x8x2.5mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
2545	
2545 2530	Bellcrank bushings (plastic) (5x8x2.5mm) (4) Bulkhead (front) (black)
	Bulkhead (front) (drev)
2530A	Bulkhead (front) (grey)
167F	Rushings solf lubricating (5x11x1mm) (11)
1675	Bushings, self-lubricating (5x11x4mm) (14)
3632	Caster blocks (l&r) (30-degree)
	Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left
3632 3632A	Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
3632	Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left
3632 3632A 3632G	Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
3632 3632A	Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left

Page 2 Rustler: TQ 2.4 GHz Radio (Model 37054-4) Parts List

3632X	Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left &	318
10.10	right)/ suspension screw pin (2)	
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)	329 254
5525R	Rod ends, heavy duty (Jato/Slayer) (8)	316
2742	Rod ends, long (6)/ hollow ball connectors (6)	274
5347	Rod ends, Revo (large) with hollow balls (12)	552
2742X 3744	Rod ends, short (6)/ hollow balls (6) Servo saver w/adapters	374
3639	Shock tower (front)	574
3736	Steering blocks, left & right (2) (requires 5x11x4mm bushings or	275
	bearings)	374
3636A	Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)	253
3636G	Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum	274
	(green-anodized)/ 5x11mm ball bearings (4)	
3636P	Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum	172
3636X	(pink-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum	155
30307	(red-anodized)/ 5x11mm ball bearings (4)	379
3631	Suspension arms (front) (2)	207
3740	Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2)	127
2640	(strengthens caster blocks) Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to	
2040	strengthen front bulkhead)	378
3640	Suspension screw pin set, steel (hex drive) (requires part #2640	335
0507	for a complete suspension pin set) (Rustler, Stampede, Bandit)	272
2537	Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw	372
2532 3737A	Tie bar, fiberglass (requires suspension pins, part# 2640) Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm	362
3/3/A	(1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for	207
	complete camber link set)	205
3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm	207
	(1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for	205
3139	complete camber link set) Turnbuckles (62mm) (front tie rods) (2)	335
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front,	
	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/	335
	wrench	
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum	301
	wrench #5477)	
3741X	Turnbuckles, aluminum (red-anodized), camber links, front,	
	39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow	284
		207
2120V	balls)/wrench Turnbucklos, aluminum (rod-anodized), too links, 59mm (2)	297 293
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2)	297 293
3139X	•	
3139X 3644	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center)	293
3644	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)	293 172 654
	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2)	293 172 654 291
3644	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)	293 172 654
3644 3745	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) HardWare	293 172 654 291 292 294 295
3644 3745 1926	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) Hardware Antenna caps, vinyl (2)/ antenna spool	293 172 654 291 292 294 295 296
3644 3745	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) HardWare	293 172 654 291 292 294 295 296 297
3644 3745 1926 1726 3642 1552	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) HardWare Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Shoulder screws, Ultra Shocks (3x12) (6) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench	293 172 654 291 292 294 295 296
3644 3745 1926 1726 3642 1552 2545	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) HardWare Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Shoulder screws, Ultra Shocks (3x12) (6) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Bellcrank bushings (plastic) (5x8x2.5mm) (4)	293 172 654 291 292 294 295 296 297
3644 3745 1926 1726 3642 1552 2545 1834	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) Marce Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Shoulder screws, Ultra Shocks (3x12) (6) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Bellcrank bushings (plastic) (5x8x2.5mm) (4) Body clips (12) (standard size)	293 172 654 291 292 294 295 296 297 297 297
3644 3745 1926 1726 3642 1552 2545 1834 3934	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) <u>HardWare</u> Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ vire retainer (1) Shoulder screws, Ultra Shocks (3x12) (6) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Bellcrank bushings (plastic) (5x8x2.5mm) (4) Body clips (12) (standard size) Body clips, heavy duty (12)	293 172 654 291 292 294 295 296 297 297
3644 3745 1926 1726 3642 1552 2545 1834	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) HardWare Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Shoulder screws, Ultra Shocks (3x12) (6) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Bellcrank bushings (plastic) (5x8x2.5mm) (4) Body clips (12) (standard size) Body clips, heavy duty (12) Double-sided adhesive tape (25mm x 25mm) (2)	293 172 654 291 292 294 295 296 297 297 297 297
3644 3745 1926 1726 3642 1552 2545 1834 3934 1589	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) <u>HardWare</u> Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ vire retainer (1) Shoulder screws, Ultra Shocks (3x12) (6) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Bellcrank bushings (plastic) (5x8x2.5mm) (4) Body clips (12) (standard size) Body clips, heavy duty (12)	293 172 654 291 292 294 295 296 297 297 297 297 652
3644 3745 1926 1726 3642 1552 2545 1834 3934 1589 3647	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) HardWare Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Shoulder screws, Ultra Shocks (3x12) (6) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Bellcrank bushings (plastic) (5x8x2.5mm) (4) Body clips, heavy duty (12) Double-sided adhesive tape (25mm x 25mm) (2) Nuts, 4mm flanged nylon locking (steel, serrated) (8)	293 172 654 291 292 294 295 296 297 297 297 297
3644 3745 1926 1726 3642 1552 2545 1834 3934 1589 3647 1747 1747R 1747R 1747G	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) MarcdWare Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Shoulder screws, Ultra Shocks (3x12) (6) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Bellcrank bushings (plastic) (5x8x2.5mm) (4) Body clips (12) (standard size) Body clips, heavy duty (12) Double-sided adhesive tape (25mm x 25mm) (2) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm nylon locking (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)	293 172 654 291 292 294 295 296 297 297 297 297 297 652 297
3644 3745 1926 1726 3642 1552 2545 1834 3934 1589 3647 1747 1747R 1747R 1747G 1747P	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) <u>HardWare</u> Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ vire retainer (1) Shoulder screws, Ultra Shocks (3x12) (6) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Bellcrank bushings (plastic) (5x8x2.5mm) (4) Body clips, heavy duty (12) Double-sided adhesive tape (25mm x 25mm) (2) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm nylon locking (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)	293 172 654 291 292 294 295 296 297 297 297 297 297 652 297 297 207
3644 3745 1926 1726 3642 1552 2545 1834 3934 1589 3647 1747 1747R 1747R 1747P 1747P	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) HardWare Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Shoulder screws, Ultra Shocks (3x12) (6) Motor screws (3x8m hex cap) (6)/washers (6)/ wrench Bellcrank bushings (plastic) (5x8x2.5mm) (4) Body clips, heavy duty (12) Double-sided adhesive tape (25mm x 25mm) (2) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm nylon locking (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)	293 172 654 291 292 294 295 296 297 297 297 297 652 297 655 653
3644 3745 1926 1726 3642 1552 2545 1834 3934 1589 3647 1747 1747R 1747R 1747P 1747P 1747P 1747P	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) HardWare Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Shoulder screws, Ultra Shocks (3x12) (6) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Bellcrank bushings (plastic) (5x8x2.5mm) (4) Body clips (12) (standard size) Body clips, heavy duty (12) Double-sided adhesive tape (25mm x 25mm) (2) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm nylon locking (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)	293 172 654 291 292 294 295 297 297 297 297 297 652 653 653 651
3644 3745 1926 1726 3642 1552 2545 1834 3934 1589 3647 1747 1747R 1747R 1747P 1747P	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) HardWare Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Shoulder screws, Ultra Shocks (3x12) (6) Motor screws (3x8m hex cap) (6)/washers (6)/ wrench Bellcrank bushings (plastic) (5x8x2.5mm) (4) Body clips, heavy duty (12) Double-sided adhesive tape (25mm x 25mm) (2) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm nylon locking (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)	293 172 654 291 292 294 295 296 297 297 297 297 652 297 655 653
3644 3745 1926 1726 3642 1552 2545 1834 3934 1589 3647 1747 1747R 1747R 1747R 1747P 1747P 1985 1942 5525R	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) MarcdWare Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Shoulder screws, Ultra Shocks (3x12) (6) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Bellcrank bushings (plastic) (5x8x2.5mm) (4) Body clips (12) (standard size) Body clips, heavy duty (12) Double-sided adhesive tape (25mm x 25mm) (2) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato/Slayer) (8)	293 172 654 291 292 294 295 295 297 297 297 297 297 652 653 653 651 651
3644 3745 1926 1726 3642 1552 2545 1834 3934 1589 3647 1747 1747R 1747R 1747R 1747P 1747P 1985 1942 5525R 2742	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) HardWare Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Shoulder screws, Ultra Shocks (3x12) (6) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Bellcrank bushings (plastic) (5x8x2.5mm) (4) Body clips, heavy duty (12) Double-sided adhesive tape (25mm x 25mm) (2) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm nylon locking (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)	293 172 654 291 292 294 295 296 297 297 297 297 652 297 655 653 651 655 652
3644 3745 1926 1726 3642 1552 2545 1834 3934 1589 3647 1747 1747R 1747R 1747R 1747P 1747P 1747P 1747P 1985 1942 5525R 2742 5347	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) <u>HardWare</u> Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Shoulder screws, Ultra Shocks (3x12) (6) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Bellcrank bushings (plastic) (5x8x2.5mm) (4) Body clips (12) (standard size) Body clips, heavy duty (12) Double-sided adhesive tape (25mm x 25mm) (2) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm nylon locking (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo (large) with hollow balls (12)	293 172 654 291 292 294 295 297 297 297 297 297 297 652 297 653 653 651 651 655 652 652
3644 3745 1926 1726 3642 1552 2545 1834 3934 1589 3647 1747 1747R 1747R 1747P 1747P 1747P 1747P 1747P 1747P 1747P 1747P 1985 1942 5525R 2742 5347 2742X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) HardWare Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Shoulder screws, Ultra Shocks (3x12) (6) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Bellcrank bushings (plastic) (5x8x2.5mm) (4) Body clips (12) (standard size) Body clips, heavy duty (12) Double-sided adhesive tape (25mm x 25mm) (2) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm nylon locking (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, nevy (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6)	293 172 654 291 292 294 295 297 297 297 297 297 652 297 653 653 651 651 655 652 652 652
3644 3745 1926 1726 3642 1552 2545 1834 1589 3647 1747 1747R 1747R 1747R 1747G 1747P 1747P 1985 1942 5525R 2742 5547 2742X 3739	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) HardWare Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Shoulder screws, Ultra Shocks (3x12) (6) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Bellcrank bushings (plastic) (5x8x2.5mm) (4) Body clips, heavy duty (12) Double-sided adhesive tape (25mm x 25mm) (2) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm nylon locking (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, short (6)/ hollow balls (6) Screw pin set (Rustler/ Bandit/ Stampede)	293 172 654 291 292 294 295 296 297 297 297 297 652 653 651 651 655 652 652 652 652 652
3644 3745 1926 1726 3642 1552 2545 1834 3934 1589 3647 1747 1747R 1747R 1747P 1747P 1747P 1747P 1747P 1747P 1747P 1747P 1985 1942 5525R 2742 5347 2742X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) HardWare Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Shoulder screws, Ultra Shocks (3x12) (6) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Bellcrank bushings (plastic) (5x8x2.5mm) (4) Body clips (12) (standard size) Body clips, heavy duty (12) Double-sided adhesive tape (25mm x 25mm) (2) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm nylon locking (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, nevy (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6)	293 172 654 291 292 294 295 296 297 297 297 297 652 653 651 651 651 655 652 652 652 207
3644 3745 1926 1726 3642 1552 2545 1834 3934 1589 3647 1747 1747R 1747R 1747P 1747P 1747P 1747P 1985 1942 5525R 2742 5347 2742X 3739 3229	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) HardWare Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Shoulder screws, Ultra Shocks (3x12) (6) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Bellcrank bushings (plastic) (5x8x2.5mm) (4) Body clips, heavy duty (12) Double-sided adhesive tape (25mm x 25mm) (2) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm nylon locking (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, long (6)/ hollow balls (cn) Rod ends, short (6)/ hollow balls (cn) Screw pin set (Rustler/ Bandit/ Stampede) Screws, 2.5x10mm cap-head machine (hex drive) (6)	293 172 654 291 292 294 295 296 297 297 297 297 652 653 651 651 655 652 652 652 652 652
3644 3745 1926 1726 3642 1552 2545 1834 3934 1589 3647 1747 1747R 1747R 1747R 1747P 1747P 1985 1942 5525R 2742 5347 2742X 3739 3229 3965	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) HardWare Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Shoulder screws, Ultra Shocks (3x12) (6) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Bellcrank bushings (plastic) (5x8x2.5mm) (4) Body clips, heavy duty (12) Double-sided adhesive tape (25mm x 25mm) (2) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm nylon locking (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (6) Screws, 2.5x10mm cap-head mach	293 172 654 291 292 294 295 296 297 297 297 297 652 653 651 651 651 655 652 652 207 205
3644 3745 1926 1726 3642 1552 2545 1834 3934 1589 3647 1747 17477 17477 17477 17477 17477 17477 17479 1742 1749 17479 1749 174	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) HardWare Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Shoulder screws, Ultra Shocks (3x12) (6) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Bellcrank bushings (plastic) (5x8x2.5mm) (4) Body clips (12) (standard size) Body clips, heavy duty (12) Double-sided adhesive tape (25mm x 25mm) (2) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4uminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, long (6)/ hollow balls (6) Screw pin set (Rustler/ Bandit/ Stampede) Screws, 2.5x10mm cap-head machine (6) Screws, 3x10mm cap-head machine (6) Screws, 3x12mm roundhead self-tapping (6) Screws, 3x12mm roundhead self-tapping (6)	293 172 654 291 292 294 295 297 297 297 297 297 297 297 297 652 297 653 653 651 651 655 652 652 207 205 655 652 655 655 655 655 655 655 655 65
3644 3745 1926 1726 3642 1552 2545 1834 3934 1589 3647 1747 1747R 1747R 1747R 1747F 1747F 1747F 1747F 1747P 1747P 1747P 1747P 1985 1942 5525R 2742 55347 2742X 3739 3229 3965 2587 2676 3186 2649	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) HardWare Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Shoulder screws, Ultra Shocks (3x12) (6) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Bellcrank bushings (plastic) (5x8x2.5mm) (4) Body clips, heavy duty (12) Double-sided adhesive tape (25mm x 25mm) (2) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm nylon locking (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, long (6)/ hollow ball connectors (6) Screw pin set (Rustler/ Bandit/ Stampede) Screws, 2.5x10mm cap-head machine (6) Screws, 3x10mm cap-head machine (6) Screws, 3x12mm roundhead self-tapping (6) Screws, 3x12mm washerhead machine (6) Screws, 3x12mm washerhead machine (6)	293 172 654 291 292 294 295 297 297 297 297 297 297 297 297 297 652 297 653 653 651 651 652 652 652 207 207 207 207 207 207 207 207 207 20
3644 3745 1926 1726 3642 1552 2545 1834 3934 1589 3647 1747 17477 17477 17477 17477 17477 17477 17479 1742 1749 17479 1749 174	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) HardWare Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Shoulder screws, Ultra Shocks (3x12) (6) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Bellcrank bushings (plastic) (5x8x2.5mm) (4) Body clips (12) (standard size) Body clips, heavy duty (12) Double-sided adhesive tape (25mm x 25mm) (2) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4uminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, long (6)/ hollow balls (6) Screw pin set (Rustler/ Bandit/ Stampede) Screws, 2.5x10mm cap-head machine (6) Screws, 3x10mm cap-head machine (6) Screws, 3x12mm roundhead self-tapping (6) Screws, 3x12mm roundhead self-tapping (6)	293 172 654 291 292 294 295 297 297 297 297 297 297 297 297 652 297 653 653 651 651 655 652 652 207 205 655 652 655 655 655 655 655 655 655 65

185X	Screws, 3x8mm washerhead machine (large head for motor mount) (6)
200	
290	Screws, 3x8mm washerhead self-tapping (6)
2548	Screws, 4x12mm countersunk machine (100-degree) (6)
167	Screws, 4x15mm countersunk machine (6)
743	Set (grub) screws, 3mm hardened (12)
529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,
	captured (4)
5742	Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
754	Stub axle pins (4)
5740	Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks)
537	Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw
746	Washers, 3x6mm metal (12)
-	
	Motors & Electronics
726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
552	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench
790	Gear adapter, fixed
072	Gear set (for 2070, 2075 servos)
275	Motor, Stinger (20-turn, 540 size) (requires 19-tooth pinion with factory installed spur gear on models originally equipped with
	the Titan 12T)
785	Motor, Titan 12T (12-Turn, 550 size)
351R	Motor, Velineon 3500, brushless (assembled with 12-gauge wire
	and gold-plated bullet connectors)
725	Mounting plate, speed control (VXL-3s) (Bandit, Rustler, Stampede)
625	Mounting plate, speed control (XL-5, XL-10)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
053	Servo gears (for 2055, 2056 servos)
2075	Servo, digital high-torque (ball bearing), waterproof
2056	Servo, high-torque, waterproof (blue case)
350R	Velineon VXL-3s Brushless Power System, waterproof (includes
	VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725))
355R	Velineon VXL-3s Electronic Speed Control, waterproof
5551	(brushless) (fwd/rev/brake)
0405	
018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage
	detection, fwd/rev/brake)
	Radio System, Batteries & Chargers
042V	Radio System, Batteries & Chargers
843X	5800mAh 7.4v 2-Cell 25C LiPo Battery
976	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W
	5800mAh 7.4v 2-Cell 25C LiPo Battery
976	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W
976	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to
2976 2938X 726	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2976 2938X 726	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517
2976 2938X 726 5548	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters)
976 938X 726 5548 9914	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters) Battery, Power Cell AA Alkaline (4)
976 938X 726 5548 914 926X	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters) Battery, Power Cell AA Alkaline (4) Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
976 938X 726 5548 914 926X	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters) Battery, Power Cell AA Alkaline (4) Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
976 938X 726 5548 914 926X 9914 941X	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters) Battery, Power Cell AA Alkaline (4) Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
976 938X	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters) Battery, Power Cell AA Alkaline (4) Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
976 938X 726 5548 914 926X 9914 9914 9914 9951X 9951X	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters) Battery, Power Cell AA Alkaline (4) Battery, Power Cell A300mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
976 938X 726 5548 914 926X 941X 951X 951X 951X 951X 951X	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters) Battery, Power Cell AA Alkaline (4) Battery, Power Cell AA Alkaline (4) Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
976 938X 726 5548 914 926X 9941X 9951X 9961X 9975 9972	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters) Battery, Power Cell AA Alkaline (4) Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
976 938X 726 5548 914 926X 941X 951X 951X 951X 951X 951X	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters) Battery, Power Cell AA Alkaline (4) Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery
976 938X 726 5548 914 926X 9941X 9951X 9951X 9971 972	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters) Battery, Power Cell AA Alkaline (4) Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 7.2 - 8.4 volt, NiMH) Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
976 938X 726 5548 914 926X 9941X 9951X 9951X 9971 972	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters) Battery, Power Cell AA Alkaline (4) Battery, Power Cell AA Alkaline (4) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification
976 938X 726 5548 914 926X 9941X 9951X 9951X 9961X 9961X 9975 9972 9971	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters) Battery, Power Cell AA Alkaline (4) Battery, Power Cell AA Alkaline (4) Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification
976 938X 726 5548 914 926X 9941X 9951X 9951X 9961X 9961X 9975 9972 9971	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters) Battery, Power Cell AA Alkaline (4) Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Communication link, telemetry expander
976 938X 726 5548 914 926X 9941X 9951X 9961X 9975 9972	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters) Battery, Power Cell AA Alkaline (4) Battery, Power Cell AA Alkaline (4) Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification
976 938X 726 5548 914 926X 9941X 9951X 9972 9972 9972 9970 525 9978	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters) Battery, Power Cell AA Alkaline (4) Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Communication link, telemetry expander Fuse, charger, 5A (2) (for #2974, 2975, 2977)
976 938X 726 5548 914 926X 9941X 9951X 9975 9972 9971 9970 525 9978 9978	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters) Battery, Power Cell AA Alkaline (4) Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Communication link, telemetry expander Fuse, charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2070, 2075 servos)
976 938X 726 5548 914 926X 9941X 9951X 9972 9972 9972 9970 525 9978	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters) Battery, Power Cell AA Alkaline (4) Battery, Power Cell AA Alkaline (4) Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Communication link, telemetry expander Fuse, charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2070, 2075 servos) Mount, telemetry expander (fits Rustler, Bandit, Slash 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal
976 938X 726 5548 914 926X 9941X 9951X 9951X 9961X 9971 9971 9971 9970 525 9778 9072 554 5554	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters) Battery, Power Cell AA Alkaline (4) Battery, Power Cell AA Alkaline (4) Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, 52-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Communication link, telemetry expander Fuse, charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2070, 2075 servos) Mount, telemetry expander (fits Rustler, Bandit, Slash 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
976 938X 726 5548 914 926X 9941X 9951X 9961X 9975 972 977 977 977 977 977 977 977 977 525 978 977 5554 5554	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters) Battery, Power Cell AA Alkaline (4) Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Communication link, telemetry expander Fuse, charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2070, 2075 servos) Mount, telemetry expander (fits Rustler, Bandit, Slash 2WD) Mount, telemetry expander (fits Rustler, Bandit, Slash 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel)
976 938X 726 5548 914 926X 9941X 9951X 9951X 9961X 9971 9971 9971 9970 525 9778 9072 554 5554	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters) Battery, Power Cell AA Alkaline (4) Battery, Power Cell AA Alkaline (4) Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, 52-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Communication link, telemetry expander Fuse, charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2070, 2075 servos) Mount, telemetry expander (fits Rustler, Bandit, Slash 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
976 938X 726 5548 914 926X 9914 926X 9914 9955 975 977 977 977 977 977 977 977 97	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters) Battery, Power Cell AA Alkaline (4) Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Communication link, telemetry expander Fuse, charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2070, 2075 servos) Mount, telemetry expander (fits Rustler, Bandit, Slash 2WD) Mount, telemetry expander (fits Rustler, Bandit, Slash 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel)
976 938X 726 5548 914 926X 9914 926X 9914 926X 9911X 9975 975 9772 9771 970 5255 9772 9770 5554 5552 5519 5518 5552	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters) Battery, Power Cell AA Alkaline (4) Battery, Power Cell AA Alkaline (4) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, FZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2070, 2075 servos) Mount, telemetry expander (fits Rustler, Bandit, Slash 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQ 2.4GHz with telemetry (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease)
976 938X 726 5548 914 926X 9941X 9951X 9951X 9961X 9971 9772 9771 9770 5525 9778 9772 554 5535 554 5535 5519 5518 5552 5526	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters) Battery, Power Cell AA Alkaline (4) Battery, Power Cell AA Alkaline (4) Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2070, 2075 servos) Mount, telemetry expander (fits Rustler, Bandit, Slash 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQ 2.4GHz with telemetry (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature
976 938X 726 5548 914 926X 9941X 9951X 9951X 9961X 9971 9772 9771 9770 5525 9778 9772 554 5535 554 5535 5519 5518 5552 5526	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters) Battery, Power Cell AA Alkaline (4) Battery, Power Cell AA Alkaline (4) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, FZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2070, 2075 servos) Mount, telemetry expander (fits Rustler, Bandit, Slash 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQ 2.4GHz with telemetry (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease)
976 938X 726 5548 914 926X 9911X 9951X 9951X 9951X 9971 9972 9971 9970 525 9778 9770 5554 5554 5554 5555 5554 5555 5554 5555 5555 5555 5555 5555 5555 5555 5555	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters) Battery, Power Cell AA Alkaline (4) Battery, Power Cell AA Alkaline (4) Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2070, 2075 servos) Mount, telemetry expander (fits Rustler, Bandit, Slash 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQ 2.4GHz with telemetry (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature
976 938X 726 5548 914 926X 9941X 9951X 9961X 9975 9772 9772 9770 5255 9778 9770 5554 5554 5555 5519 5518 5552 5552 5526 5527 5520	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters) Battery, Power Cell AA Alkaline (4) Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Communication link, telemetry expander Fuse, charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2070, 2075 servos) Mount, telemetry expander (fits Rustler, Bandit, Slash 2WD) Mount, telemetry expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, temperature Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)
976 938X 726 5548 914 926X 9941X 9951X 9972 9772 9772 9770 5255 9778 9772 9770 5255 9778 9772 9770 5555 5575 5519 5518 5525 5526 5527 5520 5521	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters) Battery, Power Cell AA Alkaline (4) Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 3200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Communication link, telemetry expander Fuse, charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2070, 2075 servos) Mount, telemetry expander (fits Rustler, Bandit, Slash 2WD) Mount, telemetry expander (fits Rustler, Bandit, Slash 2WD) Mount, telemetry expander (fits Rustler, Bandit, Slash 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQ 2.4GHz (3-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, temperature Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1) Sensor, temperature and voltage (long)
976 938X 726 5548 914 926X 941X 926X 941X 951X 975 972 971 970 525 977 970 525 554 554 554 555 5519 5518 552 5520 5527 5520 5521 2074	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters) Battery, Power Cell AA Alkaline (4) Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 3200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 7.2 - 8.4 volt, NiMH) Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Communication link, telemetry expander Fuse, charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2070, 2075 servos) Mount, telemetry expander (fits Rustler, Bandit, Slash 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQ 2.4GHz with telemetry (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1) Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1) Sensor, temperature and voltage (long)
976 938X 726 5548 914 926X 9914 926X 9914 926X 9914 9915 9972 9971 970 525 972 971 970 525 554 557 554 5518 552 5520 5521 074 0074 0053	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters) Battery, Power Cell AA Alkaline (4) Battery, Power Cell AA Alkaline (4) Battery, Series 3 Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification Communication link, telemetry expander Fuse, charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2070, 2075 servos) Mount, telemetry expander (fits Rustler, Bandit, Slash 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQ 2.4GHz (3-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo gears (for 2055, 2056 servos)
976 938X 726 5548 914 926X 9914 926X 991X 9951X 9951X 9961X 9971 977 977 977 977 977 977 977 977 97	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters) Battery, Power Cell AA Alkaline (4) Battery, Power Cell AA Alkaline (4) Battery, Series 3 Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification Communication link, telemetry expander Fuse, charger, 5A (2) (for #2974, 2977, 2977) Gear set (for 2070, 2075 servos) Mount, telemetry expander (fits Rustler, Bandit, Slash 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQ 2.4GHz with telemetry (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-torque (ball bearing), waterproof
976 938X 726 5548 914 926X 9941X 9951X 9961X 9975 972 977 977 977 977 977 977 977 977 525 978 977 5554 5554	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters) Battery, Power Cell AA Alkaline (4) Battery, Power Cell AA Alkaline (4) Battery, Series 3 Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification Communication link, telemetry expander Fuse, charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2070, 2075 servos) Mount, telemetry expander (fits Rustler, Bandit, Slash 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQ 2.4GHz (3-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo gears (for 2055, 2056 servos)
976 938X 726 5548 914 926X 9914 926X 991X 9951X 9951X 9961X 9971 977 977 977 977 977 977 977 977 97	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters) Battery, Power Cell AA Alkaline (4) Battery, Power Cell AA Alkaline (4) Battery, Series 3 Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification Communication link, telemetry expander Fuse, charger, 5A (2) (for #2974, 2977, 2977) Gear set (for 2070, 2075 servos) Mount, telemetry expander (fits Rustler, Bandit, Slash 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQ 2.4GHz with telemetry (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-torque (ball bearing), waterproof
976 938X 726 5548 914 926X 9941X 9951X 9961X 9975 977 977 977 977 977 977 977 525 977 977 977 977 977 525 977 977 977 977 977 977 977 977 977 97	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters) Battery, Power Cell AA Alkaline (4) Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Communication link, telemetry expander Fuse, charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2070, 2075 servos) Mount, telemetry expander (fits Rustler, Bandit, Slash 2WD) Mount, telemetry expander (fits Rustler, Bandit, Slash 2WD) Mount, telemetry expander (fits Rustler, Bandit, Slash 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQ 2.4GHz with telemetry (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1) Sensor, temperature and voltage (long) Servo gaers (for 2055, 2056 servos) Servo gaers (for 2055, 2056 servos) Servo, digital high-torque (ball bearing), waterproof Servo, high-torque, waterproof (blue case) Telemetry GPS module, TQi radio system
976 938X 726 5548 914 926X 9911X 9951X 9951X 9951X 9971 9971 9970 525 9778 9772 554 5535 554 5535 554 5535 554 5552 554 5552 5526 5527 5520 5521 5520 5521 5520 5521 5520 5521 5520 5521 5520 5521 5520 5521 5520 5521 5520 5521 5520 5521 5520 5521 5520 5521 5520 5521 5520 5521 5520 5521 5520 5521 5520 5521 5522 5520 5521 5520 5521 5520 5521 5521	5800mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters) Battery, Power Cell AA Alkaline (4) Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Communication link, telemetry expander Fuse, charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2070, 2075 servos) Mount, telemetry expander (fits Rustler, Bandit, Slash 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQ 2.4GHz (3-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1) Senvo case/gaskets (for 2056 and 2075 waterproof servos) Servo gears (for 2055, 2056 servos) Servo gears (for 2055, 2056 servos) Servo, digital high-torque (ball bearing), waterproof Servo, high-torque, waterproof (blue case)

Page 3 Rustler: TQ 2.4 GHz Radio (Model 37054-4) Parts List

6540	Telemetry trigger magnet, 5X2mm (1)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link
	enabled, TSM (2-ch transmitter, 5-ch micro receiver)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas
	Link Wireless Module, TSM (4-ch transmitter, 5-ch micro
	receiver)
6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6528	Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-
	channel (transmitter only)
6529	Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-
6530	channel (transmitter only)
6530	Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-
6537	channel (transmitter only) Wire retainers, gear cover/ 3x4mm BCS (2)
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage
30101	detection, fwd/rev/brake)
	Ready-To-Race Model
37054-4	Rustler: 1/10 Scale Stadium Truck with TQ 2.4 GHz radio system
	Rear Suspension
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
1675	Bushings, self-lubricating (5x11x4mm) (14)
3739	Screw pin set (Rustler/ Bandit/ Stampede)
3638	Shock tower (rear)
3752	Stub axle carriers (2) (requires 5x11x4mm bushings or bearings)
3652A	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6
	aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3652G	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6
	aluminum (green-anodized)/ 5x11mm ball bearings (4)
3652P	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6
26520	aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3652P	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3652X	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6
30327	aluminum (red-anodized)/ 5x11mm ball bearings (4)
2753X	Stub axles, rear (2)
3655X	Suspension arms, left & right
3640	Suspension screw pin set, steel (hex drive) (requires part #2640
	for a complete suspension pin set) (Rustler, Stampede, Bandit)
	Shocks (Aluminum)
1965	Piston head set (2 sets of 3 types)/ shock collars (2)/ spring
1965	Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2)
1965 1942	Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
	retainers (2)
	retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
1942 2742X 2760	retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2)
1942 2742X 2760 1664T	retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2)
1942 2742X 2760 1664T 2765T	retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2)
1942 2742X 2760 1664T 2765T 1664	retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2)
1942 2742X 2760 1664T 2765T 1664 2765	retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2)
1942 2742X 2760 1664T 2765T 1664	retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o
1942 2742X 2760 1664T 2765T 1664 2765 4760	retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2) Shocks shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2)
1942 2742X 2760 1664T 2765T 1664 2765	retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o
1942 2742X 2760 1664T 2765T 1664 2765 4760 4761	retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2)
1942 2742X 2760 1664T 2765T 1664 2765 4760	retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Silicone shock oil (30 wt)
1942 2742X 2760 1664T 2765T 1664 2765 4760 4761 1666	retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Silicone shock oil (30 wt) Shocks (Pro-level Aluminum)
1942 2742X 2760 1664T 2765T 1664 2765 4760 4761 1666 2664	retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Shocks (Pro-level Aluminum) Big Bore shock cylinder (long) (1)
1942 2742X 2760 1664T 2765T 1664 2765 4760 4761 1666 2664 2664 2666	retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Silicone shock oil (30 wt) Shocks (Pro-level Aluminum) Big Bore shock cylinder (long) (1) Big Bore shock cylinder (XX-long) (1)
1942 2742X 2760 1664T 2765T 1664 2765 4760 4761 1666 2664	retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2) Shocks shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (frear) (2) Shocks (Pro-level Aluminum) Big Bore shock cylinder (long) (1) Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) No
1942 2742X 2760 1664T 2765T 1664 2765 4760 4761 1666 2664 2666 5862	retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (frent) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Silicone shock oil (30 wt) Big Bore shock cylinder (long) (1) Big Bore shock cylinder (XX-long) (1) Big Bore shock s(hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
1942 2742X 2760 1664T 2765T 1664 2765 4760 4761 1666 2664 2664 2666	retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Silicone shock oil (30 wt) Big Bore shock cylinder (long) (1) Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4) Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum)
1942 2742X 2760 1664T 2765T 1664 2765 4760 4761 1666 2664 2666 5862	retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Silicone shock oil (30 wt) Shocks (Pro-level Aluminum) Big Bore shock cylinder (long) (1) Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4) Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)
1942 2742X 2760 1664T 2765T 1664 2765 4760 4761 1666 2664 2666 5862 2660	retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Silicone shock oil (30 wt) Big Bore shock cylinder (long) (1) Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4) Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum)
1942 2742X 2760 1664T 2765T 1664 2765 4760 4761 1666 2664 2666 5862 2660	retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Silicone shock oil (30 wt) Big Bore shocks (pro-level Aluminum) Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4) Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6
1942 2742X 2760 1664T 2765T 1664 2765 4760 4761 1666 2664 2666 5862 2660 2662	retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Silicone shock oil (30 wt) Big Bore shock cylinder (long) (1) Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4) Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2) Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
1942 2742X 2760 1664T 2765 1664 2765 4760 4761 1666 2664 2666 5862 2660 2662 2660 2662 2669 2362	retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Slilicone shock oil (30 wt) Shocks (Pro-level Aluminum) Big Bore shock cylinder (long) (1) Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4) Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2) Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks) Rebuild kit, Ultra shocks (for 2 shocks)
1942 2742X 2760 1664T 2765T 1664 2765 4760 4761 1666 2664 2666 5862 2660 2662 2660 2662	retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Silicone shock oil (30 wt) Shocks (Pro-level Aluminum) Big Bore shocks (londer (long) (1) Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4) Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2) Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks) Rebuild kit, Uttra shocks (for 2 shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
1942 2742X 2760 1664T 2765T 1664 2765 4760 4761 1666 2664 2666 5862 2660 2662 2669 2362 1942	retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Silicone shock oil (30 wt) Shocks (Pro-level Aluminum) Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4) Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2) Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2) Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2) Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks) Rebuild kit, Ultra shocks (for 2 shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
1942 2742X 2760 1664T 2765T 1664 2765 4760 4761 1666 2664 2666 5862 2660 2662 2660 2662 2669 2362 1942 2742X	retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Shocks (Pro-level Aluminum) Big Bore shock oil (30 wt) Shocks (Pro-level Aluminum) Big Bore shock cylinder (long) (1) Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4) Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (XX-long) (hard-anodized % PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (XX-long) (hard-anodized % PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2) Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks) Rebuild kit, Ultra shocks (for 2 shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6)
1942 2742X 2760 1664T 2765T 1664 2765 4760 4761 1666 2664 2666 5862 2660 2662 2669 2362 1942 2742X 2667	retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Silicone shock oil (30 wt) Shocks (Pro-level Aluminum) Big Bore shocks (long) (1) Big Bore shocks (long) (n) Big Bore shocks (long) (1) Big Bore shocks (long) (1) Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4) Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2) Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks) Rebuild kit, Ultra shocks (for 2 shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2)
1942 2742X 2760 1664T 2765T 1664 2765 4760 4761 1666 2664 2666 5862 2660 2662 2669 2362 1942 2742X 2667 1664T	retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Shocks (Pro-level Aluminum) Big Bore shock cylinder (long) (1) Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4) Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2) Piston head set (2-hole (2)) 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2)
1942 2742X 2760 1664T 2765T 1664 2765 4760 4761 1666 2664 2666 5862 2660 2662 2669 2362 1942 2742X 2667	retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Shocks (Pro-level Aluminum) Big Bore shock cylinder (long) (1) Big Bore shocks (long) (nad-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4) Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2) Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shaf
1942 2742X 2760 1664T 2765T 1664 2765 4760 4761 1666 2664 2666 5862 2660 2662 2669 2362 1942 2742X 2667 1664T 2656T	retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Shocks (2) Big Bore shock cylinder (long) (1) Big Bore shocks (long) (1) Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4) Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (X2-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2) Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks) Rebuild kit, Uttra shocks (for 2 shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, t
1942 2742X 2760 1664T 2765T 1664 2765 4760 4761 1666 2664 2666 5862 2660 2662 2669 2362 1942 2742X 2667 1664T 2656T	retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Silicone shock oil (30 wt) Shocks (Pro-level Aluminum) Big Bore shocks (linder (long) (1) Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4) Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks) Robends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, steel, chrome finish (long) (2)
1942 2742X 2760 1664T 2765T 1664 2765 4760 4761 1666 2664 2666 5862 2660 2662 2669 2362 1942 2742X 2667 1664T 2656	retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Shocks (Pro-level Aluminum) Big Bore shock cylinder (long) (1) Big Bore shocks (long) (1) Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4) Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2) Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks) Rebuild kit, Ultra shocks (for 2 shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (long) (2)
1942 2742X 2760 1664T 2765T 1664 2765 4760 4761 1666 2664 2666 5862 2660 2662 2669 2362 1942 2742X 2667 1664T 2656 1765	retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Silicone shock oil (30 wt) Shocks (Pro-level Aluminum) Big Bore shock cylinder (long) (1) Big Bore shocks (long) (1) Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4) Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (XX-long) (hard-anotized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2) Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome
1942 2742X 2760 1664T 2765 1664 2765 4760 4761 1666 2664 2666 5862 2660 2662 2669 2362 1942 2742X 2667 1664T 2656 1765 1666	retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Shocks (Pro-level Aluminum) Big Bore shock cylinder (long) (1) Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4) Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4) Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2) Piston head set (2-hole (2)) 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts,
1942 2742X 2760 1664T 2765T 1664 2765 4760 4761 1666 2664 2666 5862 2660 2662 2669 2362 1942 2742X 2667 1664T 2656 1765	retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (V-long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Shocks (0) (30 wt) Shocks (Pro-level Aluminum) Big Bore shock cylinder (long) (1) Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4) Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2) Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shaf
1942 2742X 2760 1664T 2765 1664 2765 4760 4761 1666 2664 2666 5862 2660 2662 2669 2362 1942 2742X 2667 1664T 2656 1765 1666	retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Shocks (Pro-level Aluminum) Big Bore shock cylinder (long) (1) Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4) Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4) Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2) Piston head set (2-hole (2)) 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts,

st	
5860	Springs, front (white) (progressive rate) (2) (fits #5862 aluminum
5859	Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Bie Bear shock)
	Big Bore shocks) Shocks (Ultra Shocks)
3642	Shoulder screws, Ultra Shocks (3x12) (6)
3765A	Body, Ultra Shock(s) (long) (grey) (2)
3766A	Body, Ultra Shock(s) (XXL) (grey) (2)
2362	Rebuild kit, Ultra shocks (for 2 shocks)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
3767	Shock caps (2)/ shock bottoms (2)
8361 3767A	Shock caps (black) (4) (assembled with hollow balls) Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
3767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
1664T 2656T	Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long)
1664	(2) Shock shafts, steel, chrome finish (long) (2)
2656	Shock shafts, steel, chrome finish (xx-long) (2)
1765	Silicone diaphragms (4)
1666	Silicone shock oil (30 wt)
3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
2458 2458P	Springs, front (black) (2)
2458A	Springs, front (pink) (2) Springs, front (white) (2)
3757	Springs, rear (black) (2)
3757T	Springs, rear (blue) (2)
3757A	Springs, rear (green) (2)
3757P	Springs, rear (pink) (2)
3757X	Springs, rear (white) (2)
4957 3760	Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2) Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
3760A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
3762A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
	Slipper Clutch Components
3793	Input shaft (slipper shaft) / spring pin
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ $4.0mm$ NL (1)/ $5.0mm$ NL (1))
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
5556	Slipper pressure plate & hub (aluminum alloy)
2700	Spur Gears & Pinion Gears
3790 2416	Gear adapter, fixed Gear, 16-T pinion (48-pitch) / set screw
1918	Gear, 18-T pinion (48-pitch) / set screw
2419	Gear, 19-T pinion (48-pitch) / set screw
2423	Gear, 23-T pinion (48-pitch) / set screw
4725	Gear, pinion (25-tooth) (48-pitch) / set screw
4728 4676	Gear, pinion (28-tooth) (48-pitch)/ set screw Spur gear, 76-tooth (48-pitch) (for models with Torque-Control
4683	slipper clutch) Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch)
4686	Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)
4690	Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)
	Steering Components
2728	Ball bearings (5x8x2.5mm) (2)
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742	Rod ends, long (6)/ hollow ball connectors (6)
5347	Rod ends, Revo (large) with hollow balls (12)
2742X 3744	Rod ends, short (6)/ hollow balls (6) Servo saver w/adapters

Page 4 Rustler: TQ 2.4 GHz Radio (Model 37054-4) Parts List

i uge 4		151
3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine)	
	(2)/ draglink shoulder screws (chrome) (2)	460
3743	Steering bellcranks (I&r)/ draglink	511
3743A	Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	511
3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/	167
01401	5x8mm ball bearings (4)/ hardware (assembled)	585
3743X	Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/	
	5x8mm ball bearings (4)/ hardware (assembled)	364
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo	174
0507	spring retainer/servo horn, steering	174
2537 3139	Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw Turnbuckles (62mm) (front tie rods) (2)	174 174
3139 3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2)	198
01004	(assembled w/ rod ends & hollow balls) (requires 5mm aluminum	164
	wrench #5477)	275
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2)	377
	(assembled with rod ends & hollow balls) (requires 5mm	
3745	aluminum wrench #5477) Turnbuckles, toe link, 59mm (78mm center to center) (2)	377
3/43	(assembled with rod ends and hollow balls)	377
	Suspension Linkage	011
26.42		377
3642 3641A	Shoulder screws, Ultra Shocks (3x12) (6) Camber link set (plastic / non-adjustable) (front & rear) (grey)	
3641A	Camber link set (plastic/ non-adjustable) (front & rear) (black)	377
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws	077
	(2)	377
5525R	Rod ends, heavy duty (Jato/Slayer) (8)	377
2742	Rod ends, long (6)/ hollow ball connectors (6)	
5347	Rod ends, Revo (large) with hollow balls (12)	377
2742X	Rod ends, short (6)/ hollow balls (6)	
3739 3740	Screw pin set (Rustler/ Bandit/ Stampede) Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2)	
3740	(strengthens caster blocks)	557
2637	Suspension pins, 31.5mm, chrome (2) w/ E-clips (4)	
2640	Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to	556
	strengthen front bulkhead)	557
3640	Suspension screw pin set, steel (hex drive) (requires part #2640	479
2537	for a complete suspension pin set) (Rustler, Stampede, Bandit) Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw	479
3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm	556
SIGIA	(1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for	165
	complete camber link set)	365
3738A	Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm	585
	(1) (assembled w/ rod ends & hollow balls) (See part 3741A for complete camber link set)	
3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm	
0.0.	(1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for	535 548
	complete camber link set)	377
3738	Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm	557
	(1) (assembled with rod ends & hollow balls)(See part 3741X for	377
1937	complete camber link set) Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear	557
1337	camber links) (requires #2742 rod ends)	367
3139	Turnbuckles (62mm) (front tie rods) (2)	367
2336	Turnbuckles, 78mm (optional rear camber rods) (2)	367
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front,	367 377
	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	557
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2)	
010071	(assembled w/ rod ends & hollow balls) (requires 5mm aluminum	
	wrench #5477)	155
3741X	Turnbuckles, aluminum (red-anodized), camber links, front,	460 511
	39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow	251
3139X	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2)	379
31337	(assembled with rod ends & hollow balls) (requires 5mm	547
	aluminum wrench #5477)	379
3644	Turnbuckles, camber link, 39mm (69mm center to center)	369
	(assembled with rod ends and hollow balls) (1 left, 1 right)	369
3643	Turnbuckles, camber link, 49mm (82mm center to center)	514
3745	(assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2)	369 379
5745	(assembled with rod ends and hollow balls)	238
	Team Traxxas Items	200
2514		238
2514 6160X	Decal sheet, racing sponsors DVD, Maxx Power! Full Throttle Action (sleeve)	-
9950	Official Team Traxxas racing decal set (flag logo/ 6-color)	238
9909	Traxxas racing banner, red & black (3x7 feet)	555
	,	000

	Tires & Wheels
4608	Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8)
4000 5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
1675	Bushings, self-lubricating (5x11x4mm) (14)
5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747R 1747G	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
1647	Silicone grease
2754	Stub axle pins (4)
3770A 3776	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Alias tires, foam inserts) (rear) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (All-Star black chrome
	wheels, paddle tires, foam inserts) (rear) (2) (TSM rated)
3770	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Alias tires, foam inserts) (electric rear) (2)
3771A	Tires & wheels, assembled, glued (2.8")(All-Star black chrome wheels, Ribbed tires, foam inserts) (electric front) (2)
3771	Tires & wheels, assembled, glued (2.8")(All-Star chrome wheels, Ribbed tires, foam inserts) (electric front) (2)
3773A 3773	Tires & wheels, assembled, glued (All Star black chrome wheels, Anaconda tires, foam inserts) (electric rear) (1 left, 1 right)
	Tires & wheels, assembled, glued (All Star chrome wheels, Anaconda tires, foam inserts) (electric rear) (1 left, 1 right)
3776A	Tires & wheels, assembled, glued (All-Star black chrome wheels, Anaconda tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)
5576R	Tires & wheels, assembled, glued (All-Star chrome wheels, Anaconda tires, foam inserts) (nitro rear/ electric front) (1 left, 1
5569	right) Tires, Alias 2.8" (rear) (2)/ foam inserts (2)
5578	Tires, Anaconda 2.8" (2)/ foam inserts (2)
4791	Tires, Pro-Trax mini-spiked 2.2" (rear) (2)
4790R	Tires, Pro-Trax spiked 2.2" (soft-compound)(rear) (2)/ foam inserts (2)
5563	Tires, Ribbed 2.8" (front) (2)/ foam inserts (2)
1654 3654	Wheel hubs, hex (rear) (2)/ stub axle pins (2) Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x12mm) (2)
5853X	Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)
5480X	Wheel wrench, splined, 17mm
3772A	Wheels, All-Star 2.8" (black chrome) (electric rear)
5576A	Wheels, All-Star 2.8" (black chrome) (nitro rear/ electric front) (2)
3772	Wheels, All-Star 2.8" (chrome) (electric rear)
5576 3673	Wheels, All Star 2.8" (chrome) (2) (Rustler/Stampede front) Wheels, chrome (2.2") (front) (2)
3672	Wheels, chrome (2.2") (rear) (2)
3675	Wheels, dyeable nylon 2.2 (front) (2)
3674	Wheels, dyeable nylon 2.2 (rear) (2)
3774 5572	Wheels, Twin-Spoke 2.8" (chrome) (electric rear) (2)
3372	Wheels, Twin-Spoke 2.8" (chrome) (nitro rear/ electric front) (2)
4550	Transmission Components
1552	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench
4607 5116	Ball bearings (5x11x4mm) (8) Ball bearings, blue rubber sealed (5x11x4mm) (2)
2519	Differential gear (60-tooth) (for optional ball differential only)
3792	Dust cover/rubber plug (w/ screws) (telemetry ready)
5478	Flat wrench, 8mm (blue-anodized aluminum)
3790	Gear adapter, fixed
3691 3601 A	Gearbox halves (I&r) (black) w/ idler gear shaft
3691A 5148	Gearbox halves (l&r) (grey) w/ idler gear shaft Grease, white lithium
3696	Idler gear, steel (30-tooth)
3793	Input shaft (slipper shaft) / spring pin
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede, Rustler)
2382 2388¥	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetav gear differential with steel ring gear (complete) (fits Bandit
	Francially (real differential With Steel ring dear (complete) (fite Bondit

- 2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede, Rustler)
- 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))

Page 5 Rustler: TQ 2.4 GHz Radio (Model 37054-4) Parts List

5	
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
3185X	Screws, 3x8mm washerhead machine (large head for motor mount) (6)
1647	Silicone grease
5556	Slipper pressure plate & hub (aluminum alloy)
3195	Top drive gear, steel (22-tooth)
	Turnbuckles & Threaded Rods
10.10	
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
5525R	Rod ends, heavy duty (Jato/Slayer) (8)
2742	Rod ends, long (6)/ hollow ball connectors (6)
5347	Rod ends, Revo (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
2537	Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw
3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)
3738A	Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled w/ rod ends & hollow balls) (See part 3741A for
0707	complete camber link set)
3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for
3738	complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm
5750	(1) (assembled with rod ends & hollow balls)(See part 3741X for complete camber link set)
1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)
3139	Turnbuckles (62mm) (front tie rods) (2)
2336	Turnbuckles, 78mm (optional rear camber rods) (2)
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741X	Turnbuckles, aluminum (red-anodized), camber links, front,
	39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2)

3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

If you have questions or need technical assistance, call Traxxas at:



For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com TRAXXAS.COM